

每月天氣摘要 二零二六年五月

Monthly Weather Summary May 2026

目錄

	<u>頁</u>
1. 二零二六年五月天氣回顧	1
2. 二零二六年五月影響北太平洋西部和南海的熱帶氣旋	9
3. 二零二六年五月每日天氣圖	12
4. 二零二六年五月氣象觀測資料	28

Contents

	<u>Page</u>
1. Weather Review of May 2026	2
2. Tropical Cyclones over the western North Pacific and the South China Sea in May 2026	10
3. Daily Weather Maps for May 2026	12
4. Meteorological Observations for May 2026	28

二零二六年六月出版

香港天文台編製
香港九龍彌敦道134A

1. 除特別列明外，所有時間均以協調世界時加八小時為準。
2. 除特別列明外，所有氣象要素數值均在香港天文台錄得。
3. 因惡劣天氣引致的人命傷亡及財物損毀數字是由各政府部門提供或根據報章報導輯錄。



Published: June 2026

Prepared and published by : Hong Kong Observatory,
134A Nathan Road,
Kowloon,
Hong Kong.

1. Unless otherwise stated, all times given are 8 hours ahead of Co-ordinated Universal Time (UTC).
2. Values of meteorological elements are those recorded at the Hong Kong Observatory, unless otherwise specified.
3. Figures of damage and casualties caused by weather phenomena are compiled from press reports and information provided by other government departments.

知識產權公告

本刊物的所有內容，包括但不限於所有資料、地圖、文本、圖像、圖畫、圖片、照片、視像，以及數據或其他資料的匯編(下稱「資料」)，均受知識產權保護。資料的知識產權由香港特別行政區政府(下稱「政府」)擁有，或經資料的知識產權擁有人授予政府，為本刊物預期的所有目的而處理該等資料。任何人如欲使用資料作非商業用途，均須遵守《香港天文台刊物資料的使用條件(非商業用途)》的條款和條件(可於此網頁瀏覽：<https://www.hko.gov.hk/tc/publica/non-commercialuse.htm>)。此外，除非擬議用途符合《香港天文台刊物資料的使用條件(商業用途)》的條款和條件(可於此網頁瀏覽：<https://www.hko.gov.hk/tc/publica/commercialuse.htm>)，並事先取得香港天文台(下稱「天文台」)代表政府所給予的書面授權，否則資料一律嚴禁用作商業用途。如有任何查詢，請以電郵(電郵地址：mailbox@hko.gov.hk)、傳真(+852 2311 9448)或郵遞方式與天文台聯絡。

免責聲明

本刊物載列的資料由政府轄下的天文台編製，只供一般參考。政府雖已盡力確保該等資料準確，但政府(包括其僱員及代理人)對於本網站所載資料的準確性、可用性、完整性、是否侵權、可靠性、安全性、適時性、適用性或效用，概不作出明確或暗示的保證、聲明或陳述；在中華人民共和國香港特別行政區法律許可的範圍內，對於任何因使用或不當使用或依據這些資料或不能使用這些資料所產生或與之相關的任何損失、毀壞、損害、傷害或死亡(除因政府或其僱員在受僱工作期間疏忽所引致的傷害或死亡外)，政府亦概不承擔任何法律責任(包括但不限於疏忽責任)、義務或責任。

政府保留權利，按其絕對酌情權隨時略去、刪除或編輯由其編製並載列於本刊物的一切資料，而無須給予任何理由或事先通知。使用者有責任自行評估本刊物所載的各項資料，並在根據該等資料行事之前，加以核實(例如參照原本發布的版本)和徵詢獨立意見。

Intellectual Property Rights Notice

All contents contained in this publication, including but not limited to all data, maps, text, graphics, drawings, diagrams, photographs, videos and compilation of data or other materials (the “Materials”) are subject to the intellectual property rights which are either owned by the Government of the Hong Kong Special Administrative Region (the “Government”) or have been licensed to the Government by the intellectual property rights’ owner(s) of the Materials to deal with such Materials for all the purposes contemplated in this publication. The use of the Materials for non-commercial purposes shall comply with all terms and conditions provided in the “Conditions of the Use of Materials available in the Hong Kong Observatory Publications for Non-commercial Purposes” (which can be found at: <https://www.hko.gov.hk/en/publica/non-commercialuse.htm>). Besides, the use of the Materials for commercial purposes is strictly prohibited unless all terms and conditions provided in the “Conditions of the Use of Materials available in the Hong Kong Observatory Publications for Commercial Purposes” (which can be found at <https://www.hko.gov.hk/en/publica/commercialuse.htm>) are complied with and prior written authorisation is obtained from the Hong Kong Observatory (the “Observatory”) for and on behalf of the Government. For enquiries, please contact the Observatory by email (mailbox@hko.gov.hk) or by facsimile (+852 2311 9448) or by post.

Disclaimer

The information contained in this publication is compiled by the Observatory of the Government for general information only. Whilst the Government endeavours to ensure the accuracy of this general information, the Government (including its servants and agents) makes no warranty, statement or representation, express or implied, with respect to the accuracy, availability, completeness, non-infringement, reliability, security, timeliness, appropriateness or usefulness of the information, contained herein, and in so far as permitted by the laws of the Hong Kong Special Administrative Region of the People’s Republic of China, shall not have any legal liability (including but not limited to liability for negligence), obligation or responsibility for any loss, destruction, damages, injury or death (save and to the extent any such injury or death is caused by the negligence of the Government or any of its employees in the course of employment) howsoever arising out of or in connection with any use or misuse of or reliance on the information or inability to use such information. The Government reserves the right to omit, delete or edit, all information compiled by the Government in this publication at any time in its absolute discretion without giving any reason or prior notice. Users are responsible for making their own assessment of all information contained in this publication and are advised to verify such information by making reference, for example, to original publications and obtaining independent advice before acting upon it.

1. 二零二六年五月天氣回顧

二零二六年五月香港的天氣較正常多雲，而局部地區有大雨。全月平均雲量為百分之 **82**，較正常值百分之 **76** 多出百分之 **6**。月內本港雨量分佈非常不平均。香港天文台總部錄得全月總雨量 **227.2** 毫米，是正常值 **290.6** 毫米的約百分之 **78**，而北區的總雨量超過 **500** 毫米。本年首五個月的累積雨量為 **586.8** 毫米，較同期正常值的 **590.9** 毫米稍低。雖然五月平均氣溫 **26.8** 度較正常值 **26.3** 度高 **0.5** 度，但受炎熱的偏南氣流及高空反氣旋影響，五月二十三日起本港連續出現了 **6** 個熱夜，是有記錄以來五月份的其中一個最高紀錄。由於三月及四月的氣溫遠較正常高，本年三月至五月的春季遠較正常溫暖。春季平均氣溫 **24.6** 度及平均最低氣溫 **22.9** 度，兩者皆是有記錄以來同期的第二高，而平均最高氣溫 **27.2** 度是有記錄以來第四高。

受一股偏東氣流及覆蓋廣東沿岸的雲帶影響，五月首兩日本港大致多雲及有一兩陣雨。一道低壓槽於五月三日下午發展為冷鋒並橫過沿岸地區，當日早上短暫時間有陽光，隨著冷鋒抵達，稍後間中有大驟雨及狂風雷暴，多處地區錄得約 **40** 毫米雨量，而大嶼山及港島東部的雨量更超過 **60** 毫米。受隨後的東北季候風影響，翌日本港大致多雲及有幾陣驟雨，早上天氣稍涼。高空擾動於五月五日影響廣東，本港當日多雲，間中有驟雨，早上雨勢較為頻密，多處地區錄得超過 **20** 毫米雨量。在大雨期間，天文台氣溫於早上下降至全月最低的 **19.7** 度。東北季候風於五月六日至七日繼續影響廣東沿岸，由於一道雲帶覆蓋廣東沿岸，本港五月六日大致多雲及有一兩陣微雨。隨著雲帶轉薄及東北季候風緩和，五月七日本港天氣轉為部分時間有陽光，下午炎熱。

一道低壓槽於五月八日為廣東帶來驟雨及雷暴。本港當日大致多雲及有幾陣驟雨，日間部分時間有陽光及炎熱。一股清勁至強風程度的偏東氣流於翌日為廣東沿岸帶來稍涼的天氣。此外，與低壓槽相關的雷雨區於早上影響珠江口一帶，本港當日多雲及有驟雨，初時雨勢有時頗大及有幾陣雷暴，多處地區錄得超過 **30** 毫米雨量，而葵青及大嶼山部分地區的雨量更超過 **70** 毫米。隨著低壓槽減弱及偏東氣流緩和，五月十日本港仍然多雲，驟雨減少。隨著南海北部的高空反氣旋向北伸展，五月十一日本港天氣轉為普遍晴朗及炎熱，並持續至隨後兩日。

受五月十四日的高空擾動及翌日的低壓槽影響，本港大致多雲，間中有驟雨及狂風雷暴，五月十四日至十五日香港東部錄得超過 **20** 毫米雨量，而南丫島的雨量更超過 **50** 毫米。受一股達強風程度的偏東氣流影響，五月十六日至十八日本港風勢較大及有驟雨。隨著偏東氣流被一股偏南氣流取代及高空擾動影響廣東沿岸，五月十九日本港大致多雲，間中有驟雨及幾陣狂風雷暴，日間驟雨有時頗大，多處地區錄得超過 **30** 毫米雨量，而大嶼山及沙田的雨量更超過 **50** 毫米。雖然五月二十日下午本港炎熱及短暫時間有陽光，但與高空擾動相關的雷雨於當晚為北區帶來超過 **200** 毫米雨量，五月二十一日早上本港普遍地區雨量超過 **50** 毫米，而新界多處地區的雨量更超過 **100** 毫米。大驟雨導致天文台需要在該早上發出年內首個紅色暴雨警告信號。隨著高空擾動遠離，五月二十一日下午本港天色明朗。

受炎熱的偏南氣流及高空反氣旋影響，除局部地區有驟雨外，五月二十二日至二十六日

本港部分時間有陽光及炎熱。該反氣旋於五月二十七日至二十九日繼續為本港帶來大致天晴及酷熱的天氣，由於陽光充沛及風勢微弱，天文台氣溫於二十九日下午上升至全月最高的 34.1 度，多處地區氣溫更上升至 35 至 37 度。然而，高溫觸發的雷雨於當晚為本港多處地區帶來超過 30 毫米雨量，而北區及中西區的雨量更超過 50 毫米。受一股偏東氣流影響，隨後兩日本港最高氣溫稍微下降。除短暫時間有陽光外，五月三十一日亦有與高空擾動相關的幾陣驟雨，部分地區雨勢較大及有雷暴，新界西及大嶼山錄得超過 10 毫米雨量。

二零二六年五月有兩個熱帶氣旋影響南海及北太平洋西部。

本月有一班航機因惡劣天氣須轉飛其他地方。表 1.1 載列本月發出及取消各種警告/信號的詳情。

1. The Weather of May 2026

May 2026 was characterised by cloudier than usual weather with localised heavy rain. The mean amount of cloud in the month was 82 percent, 6 percent above the normal of 76 percent. The rainfall over the territory was highly uneven. The total rainfall recorded at the Hong Kong Observatory Headquarters in the month was 227.2 millimetres, about 78 percent of the normal of 290.6 millimetres, whereas rainfall exceeded 500 millimetres over the North District. The accumulated rainfall recorded in the first five months of the year was 586.8 millimetres, slightly below the normal of 590.9 millimetres for the same period. While the monthly mean temperature of 26.8 degrees was 0.5 degrees above the normal of 26.3 degrees, under the influence of a hot southerly airstream and an anticyclone aloft, there were 6 consecutive hot nights starting from 23 May, one of the highest on record for May. Attributed to the well above normal temperatures in March and April, the spring of this year from March to May was much warmer than usual. The mean temperature of 24.6 degrees and mean minimum temperature of 22.9 degrees were both the second highest on record for the same period, while the mean maximum temperature of 27.2 degrees was the fourth highest.

Under the influence of an easterly airstream and a band of clouds covering the coast of Guangdong, local weather was mainly cloudy with one or two rain patches on the first two days of the month. A trough of low pressure developed into a cold front and moved across the coastal areas on the afternoon of 3 May. While there were sunny intervals in the morning, the arrival of the cold front brought occasional heavy showers and squally thunderstorms later that day. Around 40 millimetres of rainfall were recorded over many places, and rainfall even exceeded 60 millimetres over Lantau Island and the eastern part of Hong Kong Island. Under the influence of the associated northeast monsoon, local weather was mainly cloudy with a few showers the next day and slightly cooler in the morning. Upper-air disturbances affected Guangdong on 5 May. Locally, it was cloudy

with occasional showers. Showers were more frequent in the morning with more than 20 millimetres of rainfall recorded over many places. In the midst of the downpour, the temperature at the Observatory dropped to a minimum of 19.7 degrees in the morning, the lowest of the month. The northeast monsoon continued to affect the coast of Guangdong on 6 – 7 May. Locally, it was mainly cloudy with one or two light rain patches on 6 May as a band of clouds covered the coast of Guangdong. With the band of clouds thinning out and the northeast monsoon moderating, local weather became hot in the afternoon with sunny periods on 7 May.

A trough of low pressure brought showers and thunderstorms to Guangdong on 8 May. Locally, it was mainly cloudy with a few showers and was hot with sunny periods during the day. A fresh to strong easterly airstream brought slightly cooler weather to the coast of Guangdong the next day. Besides, an area of thundery showers associated with the trough of low pressure affected the vicinity of the Pearl River Estuary in the morning. Locally, it was cloudy with showers. Showers were heavy at times at first with a few thunderstorms. More than 30 millimetres of rainfall were recorded over many places, and rainfall even exceeded 70 millimetres over Kwai Tsing and parts of Lantau Island. With the weakening of the trough of low pressure and the moderation of the easterly airstream, local weather remained cloudy and showers abated on 10 May. As an anticyclone aloft over the northern part of the South China Sea extended northwards, local weather turned generally fine and hot on 11 May and remained so in the following two days.

Affected by upper-air disturbances on 14 May and a trough of low pressure the next day, local weather was mainly cloudy with occasional showers and squally thunderstorms. More than 20 millimetres of rainfall were recorded over the eastern part of Hong Kong and rainfall even exceeded 50 millimetres over Lamma Island during 14 and 15 May. Under the influence of a strong easterly airstream, the weather in Hong Kong became windier and showery on 16 – 18 May. With the easterly airstream replaced by a southerly airstream and upper-air disturbances affecting the coast of Guangdong, local weather was mainly cloudy with occasional showers and a few squally thunderstorms on 19 May. Showers were heavy at times during the day with more than 30 millimetres of rainfall recorded over many places and rainfall even exceeded 50 millimetres over Lantau Island and Sha Tin. While local weather was hot with sunny intervals on the afternoon of 20 May, thundery showers associated with upper-air disturbances brought more than 200 millimetres of rainfall to the North District that night. There were more than 50 millimetres of rainfall generally over the territory and even exceeded 100 millimetres over many parts of the New Territories on the morning of 21 May. The outbreaks of heavy showers prompted the issuance of the first Red Rainstorm Warning Signal of the year that morning. With the departure of the upper-air disturbances, there were bright periods in the afternoon on 21 May.

Under the influence of a hot southerly airstream and an anticyclone aloft, apart from isolated showers, local weather was hot with sunny periods on 22 – 26 May. The anticyclone continued to bring mainly fine and very hot weather on 27 – 29 May. With plenty of sunshine and under light wind conditions, the temperature at the Observatory rose to a maximum of 34.1 degrees in the afternoon of 29 May, the highest of the month. Temperatures over many places even rose to 35 – 37 degrees. However, heat-triggered thundery showers brought more than 30 millimetres of rainfall to many parts of the territory that night, and rainfall even exceeded 50 millimetres over the North District and the Central and Western District. With an easterly airstream setting in, the maximum temperatures were slightly lower over the territory on the following two days. Apart from sunny intervals, there were also a few showers associated with upper-air disturbances on 31 May. Showers were heavier in some areas with thunderstorms. Rainfall exceeded 10 millimetres over the western part of the New Territories and Lantau Island.

Two tropical cyclones occurred over the South China Sea and the western North Pacific in May 2026.

During the month, 1 aircraft was diverted due to adverse weather. Details of the issuance and cancellation of various warnings/signals in the month are summarized in Table 1.1.

表 1.1 二零二六年五月發出的警告及信號
Table 1.1 Warnings and Signals issued in May 2026

強烈季候風信號

Strong Monsoon Signal

開始時間 Beginning Time		終結時間 Ending Time	
日/月 day/month	時 hour	日/月 day/month	時 hour
16/5	0715	18/5	1145

雷暴警告

Thunderstorm Warning

開始時間 Beginning Time		終結時間 Ending Time	
日/月 day/month	時 hour	日/月 day/month	時 hour
3/5	1235	4/5	0000
8/5	2340	9/5	0445
14/5	1125	14/5	1830
15/5	0700	15/5	1630
19/5	0900	19/5	1430
20/5	0545	20/5	1030
20/5	1945	21/5	1400
21/5	2240	22/5	0145
29/5	1452	29/5	1800
29/5	2035	30/5	0010
31/5	0445	31/5	0930
31/5	1235	31/5`	1530

暴雨警告信號

Rainstorm Warnings

顏色 Colour	開始時間 Beginning Time		終結時間 Ending Time	
	日/月 day/month	時 hour	日/月 day/month	時 hour
黃色 Amber	3/5	1420	3/5	1750
黃色 Amber	9/5	0026	9/5	0410
黃色 Amber	19/5	1235	19/5	1400
黃色 Amber	20/5	2100	21/5	0240
紅色 Red	21/5	0240	21/5	0515
黃色 Amber	21/5	0515	21/5	0930
黃色 Amber	29/5	2200	29/5	2330

酷熱天氣警告

Very Hot Weather Warning

開始時間 Beginning Time		終結時間 Ending Time	
日/月 day/month	時 hour	日/月 day/month	時 hour
26/5	0745	29/5	2000
30/5	1350	30/5	1800

新界北部水浸特別報告

Special Announcement on Flooding in the northern New Territories

開始時間 Beginning Time		終結時間 Ending Time	
日/月 day/month	時 hour	日/月 day/month	時 hour
20/5	2145	21/5	0930






圖 1.2 2026 年 5 月 21 日凌晨石崗(上圖)及粉嶺(下圖)出現水浸 (鳴謝：渠務署)

Figure 1.2 Flooding in Shek Kong (top) and Fanling (bottom) on the early morning of 21 May 2026
(Courtesy of the Drainage Services Department)

2.1. 二零二六年五月的熱帶氣旋概述

二零二六年五月在西北太平洋出現了兩個熱帶氣旋。

熱帶低氣壓黑格比(2605)於五月五日早上在關島之東南約810公里的西北太平洋上形成，大致向西移向雅蒲島一帶。黑格比於翌日下午增強為熱帶風暴，並於五月八日凌晨達到其最高強度，中心附近最高持續風速估計為每小時75公里。當晚至翌日凌晨黑格比橫過雅蒲島以南海域。隨後三日黑格比轉向西北橫過菲律賓以東海域，並逐漸減弱。黑格比於五月十三日轉向東北偏東移動，最後於五月十四日早上在菲律賓以東的西北太平洋減弱為低壓區。

熱帶低氣壓薔薇(2606)於五月二十七日凌晨在雅蒲島之東南偏南約140公里的西北太平洋上形成，隨後四天向西北或西北偏北移向琉球群島一帶，並逐漸增強。薔薇於五月三十一日凌晨增強為颱風並達到其最高強度，中心附近最高持續風速估計為每小時120公里。

2.1. Overview of Tropical Cyclone in May 2026

Two tropical cyclones occurred over the western North Pacific in May 2026.

Hagupit (2605) formed as a tropical depression on the morning of 5 May over the western North Pacific about 810 km southeast of Guam, and tracked generally westwards towards the vicinity of Yap. It intensified into a tropical storm on the afternoon of the next day, and attained its peak intensity in the small hours of 8 May, with an estimated maximum sustained wind of 75 km/h near its centre. Hagupit moved across the seas south of Yap from that night to the small hours of the next day. It turned to track northwestwards across the seas east of the Philippines and gradually weakened in the following three days. Hagupit turned to move east-northeastwards on 13 May, and finally degenerated into an area of low pressure over the western North Pacific east of the Philippines on the morning of 14 May.

Jangmi (2606) formed as a tropical depression over the western North Pacific about 140 km south-southeast of Yap in the small hours of 27 May. It then moved northwestwards or north-northwestwards towards the vicinity of the Ryukyu Islands and intensified gradually in the following four days. Jangmi intensified into a typhoon and attained its peak intensity in the small hours of 31 May, with an estimated maximum sustained wind of 120 km/h near its centre.




圖 2.1.1

Figure 2.1.1


二零二六年五月的熱帶氣旋暫定路徑圖

Provisional Tropical Cyclone Tracks in May 2026


3. 二零二六年五月每日天氣圖

3. Daily Weather Maps for May 2026

日期/Date: 01.05.2026 香港時間/HK Time: 08:00 香港天文台 Hong Kong Observatory




日期/Date: 02.05.2026 香港時間/HK Time: 08:00 香港天文台 Hong Kong Observatory




 等壓線 Isobar(hPa)
  暖鋒 Warm Front
  靜止鋒 Stationary Front
  消散中的冷鋒 Dissipating Cold Front
 冷鋒 Cold Front
  綑囚鋒 Occlusion
  槽軸線 Axis of Trough
  熱帶氣旋中心 Centre of Tropical Cyclone


日期/Date: 03.05.2026 香港時間/HK Time: 08:00 香港天文台 Hong Kong Observatory




日期/Date: 04.05.2026 香港時間/HK Time: 08:00 香港天文台 Hong Kong Observatory




日期/Date: 05.05.2026 香港時間/HK Time: 08:00 香港天文台 Hong Kong Observatory




日期/Date: 06.05.2026 香港時間/HK Time: 08:00 香港天文台 Hong Kong Observatory




日期/Date: 07.05.2026 香港時間/HK Time: 08:00 香港天文台 Hong Kong Observatory




日期/Date: 08.05.2026 香港時間/HK Time: 08:00 香港天文台 Hong Kong Observatory




日期/Date: 09.05.2026 香港時間/HK Time: 08:00 香港天文台 Hong Kong Observatory




日期/Date: 10.05.2026 香港時間/HK Time: 08:00 香港天文台 Hong Kong Observatory




日期/Date: 11.05.2026 香港時間/HK Time: 08:00 香港天文台 Hong Kong Observatory




日期/Date: 12.05.2026 香港時間/HK Time: 08:00 香港天文台 Hong Kong Observatory




日期/Date: 13.05.2026 香港時間/HK Time: 08:00 香港天文台 Hong Kong Observatory




日期/Date: 14.05.2026 香港時間/HK Time: 08:00 香港天文台 Hong Kong Observatory





日期/Date: 15.05.2026 香港時間/HK Time: 08:00 香港天文台 Hong Kong Observatory




日期/Date: 16.05.2026 香港時間/HK Time: 08:00 香港天文台 Hong Kong Observatory







日期/Date: 19.05.2026 香港時間/HK Time: 08:00 香港天文台 Hong Kong Observatory




日期/Date: 20.05.2026 香港時間/HK Time: 08:00 香港天文台 Hong Kong Observatory




日期/Date: 21.05.2026 香港時間/HK Time: 08:00 香港天文台 Hong Kong Observatory




日期/Date: 22.05.2026 香港時間/HK Time: 08:00 香港天文台 Hong Kong Observatory




日期/Date: 23.05.2026 香港時間/HK Time: 08:00 香港天文台 Hong Kong Observatory




日期/Date: 24.05.2026 香港時間/HK Time: 08:00 香港天文台 Hong Kong Observatory




日期/Date: 25.05.2026 香港時間/HK Time: 08:00 香港天文台 Hong Kong Observatory




日期/Date: 26.05.2026 香港時間/HK Time: 08:00 香港天文台 Hong Kong Observatory




日期/Date: 27.05.2026 香港時間/HK Time: 08:00 香港天文台 Hong Kong Observatory




日期/Date: 28.05.2026 香港時間/HK Time: 08:00 香港天文台 Hong Kong Observatory




日期/Date: 29.05.2026 香港時間/HK Time: 08:00 香港天文台 Hong Kong Observatory



日期/Date: 30.05.2026 香港時間/HK Time: 08:00 香港天文台 Hong Kong Observatory





3.1.1 二零二六年五月香港氣象觀測摘錄(一)

3.1.1 Extract of Meteorological Observations in Hong Kong (Part 1), May 2026

日期 Date	平均氣壓 Mean Pressure	氣 溫 Air Temperature			平均 露點溫度 Mean Dew Point Temperature	平均 相對濕度 Mean Relative Humidity	平均雲量 Mean Amount of Cloud	總雨量 Total Rainfall
		最高 Maximum	平均 Mean	最低 Minimum				
五 月 May	百帕斯卡 hPa	°C	°C	°C	°C	%	%	毫米 mm
1	1014.2	26.9	24.0	22.1	19.4	76	82	Tr
2	1011.7	27.0	25.2	24.1	22.1	83	83	Tr
3	1011.5	29.6	25.1	22.8	22.7	87	89	45.4
4	1014.6	27.6	23.7	21.9	19.8	79	90	1.2
5	1014.0	23.0	21.3	19.7	19.4	90	97	28.1
6	1012.6	24.6	23.3	21.6	20.7	85	88	Tr
7	1011.8	29.3	25.9	24.0	22.2	81	56	-
8	1012.2	30.3	26.9	24.7	23.2	81	81	0.6
9	1014.6	26.1	23.7	23.0	21.1	85	89	13.0
10	1014.2	26.1	24.0	23.4	20.6	81	78	-
11	1012.1	28.8	25.7	23.2	21.7	79	73	-
12	1008.6	31.6	27.6	25.0	23.6	80	81	-
13	1006.6	31.1	28.3	26.2	23.7	76	73	-
14	1005.8	29.2	27.5	26.0	24.5	84	86	5.9
15	1007.3	27.4	26.1	25.2	23.7	87	92	6.5
16	1010.1	25.6	24.6	23.9	22.4	88	92	9.1
17	1010.9	25.4	24.3	23.3	21.9	87	93	4.8
18	1010.3	26.3	25.4	24.7	23.0	87	88	2.3
19	1009.0	26.4	25.6	25.0	24.0	91	90	27.8
20	1008.1	30.7	28.0	25.9	25.0	84	88	3.2
21	1010.2	31.5	28.1	25.3	25.6	87	92	66.1
22	1010.4	31.4	28.9	27.2	25.1	80	88	1.0
23	1009.7	30.3	29.0	28.0	25.1	80	86	-
24	1009.2	31.5	29.6	28.6	25.3	78	87	-
25	1007.8	32.0	29.8	28.7	25.0	75	83	-
26	1007.1	32.0	30.0	29.0	25.9	79	85	-
27	1008.5	33.7	30.7	28.8	25.7	75	83	-
28	1009.3	33.4	30.6	28.8	25.7	75	46	-
29	1009.1	34.1	30.6	27.0	25.7	76	55	12.2
30	1009.6	32.6	29.3	27.3	24.0	73	70	-
31	1009.4	30.9	28.8	27.9	23.8	74	79	Tr
平均/總值 Mean/Total	1010.3	29.2	26.8	25.2	23.3	81	82	227.2
正常* Normal*	1009.3	28.8	26.3	24.5	23.0	83	76	290.6
觀測站 Station	天文台 Hong Kong Observatory							

天文台於五月十四日 16 時 0 分錄得本月最低氣壓 1003.5 百帕斯卡。

The minimum pressure recorded at the Hong Kong Observatory was 1003.5 hectopascals at 1600 HKT on 14 May.

天文台於五月二十九日 14 時 48 分錄得本月最高氣溫 34.1°C。

The maximum air temperature recorded at the Hong Kong Observatory was 34.1°C at 1448 HKT on 29 May.

天文台於五月五日 8 時 56 分錄得本月最低氣溫 19.7°C。

The minimum air temperature recorded at the Hong Kong Observatory was 19.7°C at 0856 HKT on 5 May.

京士柏於五月二十一日 2 時 58 分錄得本月最高1分鐘平均降雨率 150 毫米/小時。

The maximum 1-minute mean rainfall rate recorded at King's Park was 150 millimetres per hour at 0258 HKT on 21 May.

* 1991-2020 氣候平均值 (除特別列明外) (http://www.hko.gov.hk/tc/cis/normal/1991_2020/normal.htm)

* 1991-2020 Climatological normal, unless otherwise specified (http://www.hko.gov.hk/en/cis/normal/1991_2020/normal.htm)

Tr - 微量 (降雨量少於 0.05 毫米)

Tr - Trace of rainfall (amount less than 0.05 mm)

3.1.2 二零二六年五月香港氣象觀測摘錄(二)

3.1.2 Extract of Meteorological Observations in Hong Kong (Part 2), May 2026

日期 Date	出現低能見度的時數# Number of hours of Reduced Visibility#	總日照 Total Bright Sunshine	每日太陽總輻射 Daily Global Solar Radiation	總蒸發量 Total Evaporation	盛行風向 Prevailing Wind Direction	平均風速 Mean Wind Speed
五月 May	小時 hours	小時 hours	兆焦耳/米 ² MJ/m ²	毫米 mm	度 degrees	公里/小時 km/h
1	0	6.8	22.37	4.1	080	25.3
2	0	1.9	14.02	2.5	080	15.8
3	0	3.9	12.09	1.4	100	6.8
4	0	2.0	14.53	2.4	080	26.1
5	0	0.1	6.32	0.9	050	29.0
6	0	0.4	10.83	1.8	060	25.2
7	0	8.6	24.80	4.3	080	13.8
8	2	6.8	18.30	4.4	040	3.1
9	0	-	5.27	2.1	080	34.0
10	0	0.3	6.43	1.4	080	15.1
11	0	4.9	19.21	3.3	200	6.8
12	0	10.0	24.35	4.8	240	18.0
13	0	11.1	27.65	5.6	230	19.8
14	0	0.7	7.30	2.6	180	18.8
15	0	0.1	4.84	1.6	070	20.3
16	0	-	2.86	0.6	080	50.1
17	0	-	3.95	1.1	070	48.6
18	0	0.7	9.49	0.5	080	32.3
19	0	0.2	4.79	1.0	090	16.1
20	0	1.3	14.09	2.4	150	15.4
21	0	1.6	7.84	1.5	180	24.2
22	0	6.2	20.97	4.8	190	16.5
23	0	1.6	9.58	2.8	190	18.8
24	0	3.0	13.80	3.8	220	23.3
25	0	6.5	20.71	5.0	200	25.0
26	0	4.1	15.37	4.4	220	19.9
27	0	11.0	27.77	5.8	220	19.6
28	0	11.7	28.03	6.5	240	23.8
29	0	10.9	25.75	6.4	250	22.3
30	0	8.9	21.17	4.8	080	11.7
31	0	4.6	17.62	4.8	090	12.9
平均/總值 Mean/Total	2	129.9	14.91	99.4	080	21.2
正常* Normal*	35.9 §	138.8	14.46	109.8	080	19.8
觀測站 Station	香港國際機場 Hong Kong International Airport	京士柏 King's Park		橫瀾島^ Waglan Island^		

橫瀾島於五月十六日 20 時 52 分錄得本月最高陣風 71 公里/小時，風向 070 度。

The maximum gust peak speed recorded at Waglan Island was 71 kilometres per hour from 070 degrees at 2052 HKT on 16 May.

低能見度是指能見度低於 8 公里，不包括出現霧、薄霧或降水。

- 在2004年及以前，香港國際機場的能見度讀數是基於專業氣象觀測員每小時的觀測數據。在2005年及以後，讀數是採用位於機場南跑道中間的能見度儀表在每小時前10分鐘的平均數據。這與使用儀器觀測來改進能見度評估的國際趨勢是一致的。
- 在2007年10月10日前曾出現於此摘錄內香港國際機場2005年及以後的低能見度時數資料乃基於專業氣象觀測員每小時的觀測數據。有關資料已於2007年10月10日起改為以機場南跑道中間之能見度儀表在每小時前10分鐘的平均數據計算。

Reduced visibility refers to visibility below 8 kilometres when there is no fog, mist, or precipitation.

- The visibility readings at the Hong Kong International Airport are based on hourly observations by professional meteorological observers in 2004 and before, and average readings over the 10-minute period before the clock hour of the visibility meter near the middle of the south runway from 2005 onwards. The change of the data source in 2005 is an improvement of the visibility assessment using instrumented observations following the international trend.
- Before 10 October 2007, the number of hours of reduced visibility at the Hong Kong International Airport in 2005 and thereafter displayed in this summary was based on hourly visibility observations by professional meteorological observers. Since 10 October 2007, the data have been revised using the average visibility readings over the 10-minute period before the clock hour, as recorded by the visibility meter near the middle of the south runway.

^ 如橫瀾島未能提供數據，則以長洲或其他鄰近氣象站的數據作補充，以計算盛行風向和平均風速。

^ In case the data are not available from Waglan Island, observations of Cheung Chau or other nearby weather stations will be incorporated in computing the Prevailing Wind Direction and Mean Wind Speed.

* 1991-2020 氣候平均值 (除特別列明外) (http://www.hko.gov.hk/tc/cis/normal/1991_2020/normal.htm)

* 1991-2020 Climatological normal, unless otherwise specified (http://www.hko.gov.hk/en/cis/normal/1991_2020/normal.htm)


§ 1997-2025 平均值


§ 1997-2025 Mean value

4.2 2026年5月部分香港氣象要素的每日記錄

4.2

Daily Values of Selected Meteorological Elements for Hong Kong, May 2026





備註：
極高：高於第 95 百分位數
高於正常：介乎第 75 和 第 95 百分位數之間
正常：介乎第 25 和 第 75 百分位數之間
低於正常：介乎第 5 和 第 25 百分位數之間
極低：低於第 5 百分位數
百分位數值及 5 天移動平均值是基於 1991 至 2020 年的數據計算所得

Remarks:
Extremely high: above 95th percentile
Above normal: between 75th and 95th percentile
Normal: between 25th and 75th percentile
Below normal: between 5th and 25th percentile
Extremely low: below 5th percentile
Percentile and 5-day running average values are computed based on the data from 1991 to 2020